AMDA Nepal AMDA Nepal, Gokarneshwor-6, Jorpati, Kathmandu Quotation for "Office Equipment (Electronic Items)"

Bidders/Suppliers:

Name:

Address:

Contact Number:

PAN/VAT No:

| S.N. | Name of Items | Sį | pecification | Tick (❤ or X) | Unit | Estimated cost with VAT (Net) | Quantity (A) | Brand Name/ Model No. | Manufacturing Company | Unit Cost (B) | Total Cost/Unit [C=A*B] | VAT (if applicable) (D) | Total Net Amount [E=C+D] | Remarks |
|-------|--------------------|--|---|--|------|-------------------------------------|-----------------|--------------------------|--------------------------|------------------|----------------------------|-------------------------------|-----------------------------|----------|
| Offic | e Equipment (Elect | tronic Items) | | | | | | | | | | | | |
| 1 | Interactive screen | | | | Set | 515,000 | 1 | | | | | | | i i |
| ' | | LCD Panel | | | | | | | | | | | | |
| ı | | Panel Dimensions | 75-inch | - | | | | | 1 | | | | | I |
| | | Backlight | DLED | | | | | | | | | | | |
| l | | | 16:09 | | | | | | | | | | | |
| l | | Aspect Ratio | 350 cd/m ² | | | | | | | | | | | |
| | | Brightness | | | | | | | | | | | | |
| | | Resolution | Minimum 3840 (H) × 2160 (V) | | | | | | | | | | | |
| | | Viewing Angle | H: 178°; V: 178° | | | | | | | | | | | |
| | | Lifespan | Minimum 50,000 hours | | | | | | | | | | | |
| | | Refresh Rate | 60 Hz | | | | | | | | | | | |
| | | Static Contrast | Minimum 1200:1 | | | | | | | | | | | |
| | | Dynamic Contrast | At least 6000:1 | | | | | | | | | | | |
| | | Built-in System | | | | | | | | | | | | |
| | | Operating System | Android 9.0 or above | | | | | 1 | | | | | | |
| | | CPU | Quad-core A55 or above | | | | | 1 | | | | | | |
| | | RAM | 4 GB or above | | | | | 1 | | | | | | |
| | | ROM | 32 GB or above | | | | | 1 | | | | | | |
| | | Function | - | | 1 | | | | | | | | | |
| | | Operating System (OS) of External Module | Windows 7/8/10/; Android | | l | | | | | | | | | |
| | | WiFi | Dual-band 2.4 G/5 G | | | | | | | | | | | |
| | | Wi-Fi Hotspot | Dual-band 2.4 G/5 G; supports enabling Hotspot and Wi-Fi at the same time | | | | | | | | | | | |
| | | Camera | and Wi-Fi at the same time | | | | | | | | | | | |
| | | Pixel | 5MP or above | | | | | | | | 1 | | | |
| | | Distortion | ≤5% | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | Field of View | H: 79°; V: 51°; D: 88° | | | | | | | | | | | |
| | | Device Ports | T. | | | | | | | | | | | |
| | | Light Sensor | 1 | | | | | | | | | | | |
| | | Ports | 1 × USB 3.0 | | | | | | | | | | | |
| | | Network Port | 1 × RJ-45 | | | | | | | | | | | |
| | | Wi-Fi | 1 × Wi-Fi; 1 × Hotspot | | | | | | | | | | | |
| | | USB | 3 × USB 3.0; 1 × Micro USB | | | | | | | | | | | |
| | | RS-232 | 1 × RS-232 | | | | | | | | | | | |
| | | Video Input | 1 × HDMI IN | | | | | | | | | | | |
| | | Audio Output | 1 × 3.5 mm (Line OUT) port | | | | | | | | | | | |
| | | Others | 1 × Touch | | | | | | | | | | | |
| | | TouchScreen | | | ĺ | | | | | | | | | |
| | | Touch Technology Type | Infrared touch technology | | | | | | | | | | | |
| | | Response Time | <10 ms | | l | | | | 1 | | | | | |
| | | Touch Points | at least 20 | | l | | | | 1 | | | | | |
| | | Valid Touch | ≤ 2 mm | | l | | | | 1 | | | | | |
| | | Writing Mode | Finger + Pen | i | l | | | l | 1 | | | | | I |
| | | Touch Resolution | at least 32767 × 32767 | | 1 | | | | 1 | | | | | |
| | | Speaker | 22 | <u> </u> | 1 | | | | 1 | | | | | |
| | | Built-in Speaker | 2 | | 1 | | | | 1 | | | | | |
| | | Microphone | <u>'</u> | | | | | | 1 | | | | | I |
| | | Pick-up Distance | Far-field sound pickup: 6 m-8 m (19.69 ft-26.25 ft) | | | | | | | | | | | |
| | | Number of Microphones | 2 | | l | | | | 1 | | | | | I |
| | | AGC | YES | | l | | | | 1 | | | | | I |
| | | Echo Cancellation | YES | l | l | | | | 1 | | | | | I |
| | | Polar Pattern | Omnidirectional | l | l | | | | 1 | | | | | |
| | | Intelligent Noise Filtering | YES | | l | | | | 1 | | | | | |
| | | General | 1.=- | | 1 | | | | 1 | | | | | |
| | | Power Supply | 100-240 VAC, 50/60 Hz | - | | | | | 1 | | | | | I |
| | | Product Material | Metal casing | | 1 | | | | 1 | | | | | |
| | | | Anti-dazzle tempered glass with a hardness of 7 | - | | | | | 1 | | | | | I |
| | | Glass | on the Mohs scale | | | | | | | | | | | |

| S.N. | Name of Items | | Specification | Tick (✔ or X) | Unit | Estimated cost with VAT (Net) | Quantity (A) | Brand Name/ Model No. | Manufacturing Company | Unit Cost (B) | Total Cost/Unit [C=A*B] | VAT (if applicable) (D) | Total Net Amount [E=C+D] | Remarks |
|----------|--------------------|--|---|--|------|-------------------------------|-----------------|--------------------------|--------------------------|------------------|----------------------------|-------------------------------|-----------------------------|---------|
| \vdash | | Glass Thickness 3mm | | i – | İ | 1 | İ | İ | | | | İ | | İ |
| 1 | | Casing Color | Black (preferred) | | 1 | | | | | | | | | |
| 1 | | | OPS i5 with SSD hard drive | | 1 | | | | | | | | | |
| | | | 6th generation Intel® Core™ i5, | | 1 | | | | | | | | | |
| | | | Intel HD Graphics 530 GPU, supports H.265 and 4K. | | | | | | | | | | | |
| | | OPS | MSATA system disk quick start, one-press restore. | | | | | | | | | | | |
| | | | 3 × USB 3.0 and 3 × USB 2.0 ports. | | 1 | | | | | | | | | |
| 1 | | | Dual antenna 802.11a/b/g/n/ac Wi-Fi, which | | | | | | | | | | | |
| 1 | | | supports high-speed wireless transmission. | | 1 | | | | | | | | | |
| 1 | | | 1 × HDMI and 1 × DP ports. | | 1 | | | | | | | | | |
| | | | Intelligent writing. | | 1 | | | | | | | | | |
| 1 | | | 2.4 GHz wireless technology, with a remote- | | | | | | | | | | | |
| 1 | | Smart Interactive Whiteboard Pencil | control distance of 15 m in open space. | | 4 | | | | | | | | | |
| 1 | | Smart interactive whiteboard Pencil | Charging notification with red indicator. | | 4 | | | | | | | | | |
| | | | Saves on energy by automatically switching to power saving mode when device is not in use. | | | | | | | | | | | |
| | | | Power cord: × 3 (EU/US/UK) | | 1 | | | | | | | | | |
| 1 | | | Stylus pen: × 2 Quick start guide: × 1 | | ł | | | | | | | | | |
| 1 | | others | Wall mount bracket : × 1 | † | 1 | | | | | | | | | |
| 1 | | | Accessory package: × 1 | l | t | | | | | | | | | |
| 1 | | | Remote control: × 1 | | 1 | | | | | | | | | |
| 1 | | Warrenty Period | At least 2 Years | <u> </u> | 1 | | | | | | | | | |
| 2 | Video Conferencing | i · | | | Set | 200,000 | 1 | İ | | | | | | |
| 1 - 1 | Camera | Camera | 1 | t | 1 | | | | | | | | | |
| 1 1 | Gamera | Image Sensor | 1/2.5 inches, CMOS | | i | | | | | | | | | |
| 1 1 | | Effective Pixels | 8 MP or above | | 1 | | | | | | | | | |
| 1 1 | | Resolution | 4K/30, 1080P/30, 720P/30 etc. | | 1 | | | | | | | | | |
| 1 1 | | Lens Zoom | 5x zoom | |] | | | | | | | | | |
| 1 1 | | Field of View | 121° (DFOV), 110° (HFOV), 75° (VFOV) | |] | | | | | | | | | |
| 1 1 | | Tripod Head | Mechanical PTZ (MPT) + e-PTZ(EPTZ), EPTZ: | | | | | | | | | | | |
| 1 1 | | | Horizontal/pitch ±15° | | 4 | | | | | | | | | |
| 1 1 | | Audio | 0 | | 4 | | | | | | | | | |
| 1 1 | | Built-in Beamforming Mic Full-Frequency Speaker | 6 meters pickup distance 96 dB SPL at 0.5 m | | 4 | | | | | | | | | |
| 1 1 | | USB | 90 UB SFL at 0.5 III | | 1 | | | | | | | | | |
| 1 1 | | Type of Connection | USB 3.0, backward compatible with USB 2.0 | | ┪ | | | | | | | | | |
| | | USB Audio | 32K sampling rate, UAC1.0 support | | 1 | | | | | | | | | |
| 1 1 | | Interfaces | | | 1 | | | | | | | | | |
| 1 1 | | HD Output | 1 x HDMI | | | | | | | | | | | |
| 1 1 | | USB Interface | 1 x USB3.0, Type C; 1 x USB2.0, Type A | |] | | | | | | | | | |
| | | Wireless | Bluetooth data communication (Bluetooth 5.0) | | | | | | | | | | | |
| | | Installation Method | Desktop placement/Wall mounting/Installation with wall-mounted TV | | 1 | | | | | | | | | |
| | | Physical Features | | ļ | 4 | | | | | | | | | |
| 1 1 | | Power Supply | DC 12V, 2A (MAX) | | ł | | | | | | | | | |
| 1 1 | | Operating Temperature Accessories | 0°C ~ 40°C USB Cable | | ł | | | | | | | | | |
| 1 1 | | Power Supply | DC 12V, 2A (MAX) | | ł | | | | | | | | | |
| 1 1 | | Accessories | USB Cable | 1 | t | | | | | | | | | |
| 1 1 | | Warranty | At least 2 Year | <u> </u> | 1 | | | | | | | | | |
| 3 | CCTV Camera | 1 | | 1 | | | | İ | | | | | | |
| ۱۱ | Join Jameia | Brand: i. Dahua, ii. CP PLUS, iii. Hikvis | ion | † | t | | | | | | | | | |
| | | CCTV Camera Type | Dome/ C-Mount | t | Set | 15,000 | 3 | | | | | | | |
| 1 1 | | | Bullet | 1 | Set | 15,000 | 3 | İ | | | | | | |
| | | Camera: Image sensor | 1/3" CMOS image sensor, Motion detection, full color night vision | | | | | | | | | | | |
| | | Resolution | (2688 × 1520) | 1 | 1 | | | | | | | | | |
| 1 1 | | Pixels | 4.0 megapixel | | | | | | | | | | | |
| | | Compression | H.265 codec, high compression rate | |] | | | | | | | | | |
| | | Frame Rate | 25/30 fps | | 1 | | | | | | | | | |
| 1 1 | | IR distance (Infra-Red) | Minimum 30 meters | ļ | 1 | | | | | | | | | |
| | | power support | 12V DC, | ļ | 4 | | | | | | | | | |
| | | National | PoE power support | ! | 4 | | | | | | | | | |
| 1 1 | | Network | Ethernet 1 RJ45 10M/100M Adaptive Ethernet | 1 | | | | | | | | | | |
| | | External Interface | Interface Support Audio Input | - | ┨ | | | | | | | | | |
| | | Alarm/Notification | Email, alarm automatically | | ł | | | | | | | | | |
| | | Installation | Rack Mounting | † | 1 | | | | | | | | | |
| 1 1 | | Color | Black (preferred) or white | 1 | 1 | | | | | | | | | |
| | | • | 1 1 7 11 | | | • | • | | | | | | | |

| S.N | . Name of Items | Specification | | Tick (❤ or X) | Unit | Estimated cost with VAT (Net) | Quantity (A) | Brand Name/ Model No. | Manufacturing Company | Unit Cost (B) | Total Cost/Unit [C=A*B] | VAT (if applicable) (D) | Total Net Amount [E=C+D] | Remarks |
|------------------------|-------------------|---------------------|-----------------------------|----------------------|------|-------------------------------------|-----------------|--------------------------|--------------------------|------------------|----------------------------|-------------------------------|-----------------------------|---------|
| 4 | Other Accessories | | | | | | | | | | | | | |
| 1 | | Recorder | 8 channel 2 SATA | | Pc | 11,100 | 1 | | | | | | | |
| 1 | | Storage | 2TB | | Pc | 9,500 | 1 | | | | | | | |
| 1 | | Transmission switch | 8 port PoE switch | | Pc | 15,000 | 1 | | | | | | | |
| 1 | | Ethernet Cable | Enhanced Cat 6, 100% copper | | Mtrs | | 300m | | | | | | | |
| 1 | | Installation | Wall listy, others | | | | | | | | | | | |
| | | Warranty | 2 Years | | | | | | | | | | | |
| | Total | | | | | | | | | | | | | |
| Total Amount in Words: | | | | | | | | | | | | | | |

Total Allount III Words

Note:

- * Price: Door delivery price in Nepali currency.
- * Delivery Site: As specifed in purchase order.
- * Taxes and Duties: All government taxes are included in the amount quoted above.
- st Payment: Payment will be accepted by A/C payee cheque after complete delivery of goods and invoices.

Submitted By:

Signature:

Date;

Stamp: